




molo design, ltd. 1470 venables street vancouver, bc canada V5L 2G7 t+1 604 696 2501 f+1 604 685 0342 info@molodesign.com

www.molodesign.com www.molostore.com www.molotrade.com

softwall + softblock modular system



softwall + softblock is a modular, free standing, flexible, partition system at the core of molo's soft collection of paper and textile structures.


Utilizing flexible honeycomb, to expand, contract, and flex, each element is made in three material variations - paper with 50% recycled content, and two types of paper-like 100% polyethylene non-woven textiles.

modular magnetic end panels connect softwall + softblock to one another creating long continuous partitions of any desired length. molo's softseat fanning benches also connect magnetically to softwall + softblock, or the magnetic end panels can anchor to any other steel surface. A steel strip accessory is available from molo to create anchor points on walls, columns or cabinets.

The poetic yet pragmatic characteristics of softwall + softblock offer the ability to quickly and easily shape light, acoustics, and space. The translucent white textile versions of softwall + softblock diffuse sunlight or may be illuminated from within by LED.

acoustic and fire rating documents available

design by Stephanie Forsythe + Todd MacAllen




All elements in the softwall + softblock modular system can connect to one another by modular magnetic end panels in an almost seamless way, as vertical joints between elements blend with the rhythm of the vertically pleated structures. The integrated magnets can also anchor softwall + softblock to any ferrous steel or magnetic surface. molo has a white powder coated steel strip accessory to connect softwall to any fixed wall, column or cabinet.











Flexible LED ribbons, designed to go inside the horizontal tunnels of textile softwall + softblock are available from molo in two colour temperatures, a neutral 'daylight white' (4200K) and a 'warm white' (2500K). Only one LED ribbon is needed to create beautifully defused, gradated light within a 1830mm (6') tall softwall.



This luminous version of softwall + softblock emphasizes their visually delicate fibres and airy, lightweight structure. Illuminated from within, softwall + softblock become a partition and a luminary; their expansion, contraction, and fluid movement are all the more magical. 9




















disconcellance.	an attacked at the adjacent	and the state of the
dimensions	material + colour	product code
1830mm tall x 305mm wide (6' x 12') steps hot x 142 x 3270 product segrit / steps wide' brow poew 16 go (3384/2) (360 go (5884/ 16 go (3384/2) (350 go (5884) 16 a sport / 17 4g (3644/2) (350 go (584) 16 a sport / 17 4g (3644/2) (350 go (584) 16 a sport / 16 go (3584/2) (150 go (584) 16 a sport / 16 go (3584/2) (150 go (584) 16 a sport / 16 go (3584/2) (150 go (584) 16 a sport / 16 go (3584/2) (150 go (5384) 16 a sport / 16 go (5384/2) (150 go (5384) 16 a sport / 16 go (5384/2) (150 go (5384) 16 a sport / 16 go (5384/2) (150 go (5384) 16 a sport / 16 go (5384/2) (150 go (5384) 16 a sport / 16 go (5384/2) (150 go (5384) 16 a sport / 16 go (5384/2) (150 go (5384) 16 a sport / 16 go (5384/2) (150 go (5384) 16 a sport / 16 go (5384/2) (150 go (5384) 16 a sport / 16 go (5384/2) (150 go (5384) 16 a sport / 16 go (5384/2) (150 go (5384) 16 a sport / 16 go (5384/2) (150 go (5384) 16 a sport / 16 go (5384/2) (150 go (5384) 16 a sport / 16 go (5384/2) (150 go (5384) 16 a sport / 16 go (5384/2) (150 go (5384) 16 a sport / 16 go (5384/2) (150 go (5384) 16 a sport / 16 go (5384/2) (150 go (5384) 17 a sport / 16 go (5384/2) (150 go (5384) 16 a sport / 16 go (5384/2) (150 go (5384) 16 a sport / 16 go (5384/2) (150 go (5384) 16 a sport / 16 go (5384/2) (150 go (5384) 16 a sport / 16 go (5384/2) (150 go (5384) 16 a sport / 16 go (5384/2) (150 go (5384) 16 a sport / 16 go (5384/2) (150 go (5384) 16 a sport / 16 go (5384/2) (150 go (5384) 16 a sport / 16 go (5384/2) (150 go (5384) 16 a sport / 16 go (5384/2) (150 go (5384) 16 a sport / 16 go (5384/2) (150 go (5384) 16 a sport / 16 go (5384/2) (150 go (5384) 16 a sport / 16 go (5384/2) (150 go (5384)) 16 a sport / 16 go (5384/2) (150 go (5384)) 16 a sport / 16 go (5384/2) (150 go (5384)) 16 a sport / 16 go (5384/2) (150 go (5384)) 16 a sport / 16 go (5384/2) (150 go (5384)) 16 a sport / 16 go (5384/2) (150 go (5384)) 16 a sport / 16 go (5384/2) (150 go (5384)) 16 a sport / 16 go (5384/2) (150 go (5384)) 16 a sport / 16 go (5384/2) (15	kraft paper - hatural brown kraft paper - black kraft paper - indigo blue textile - white (manusort) textile - black modified textile - white (manusort) textile - custom colour (min. onser of 11)	SW-P-BR-06-12 SW-P-BL-06-12 SW-F-BU-06-12 SW-TWH-06-12 SW-TK-06-12 SW-MT-WH-06-12 SW-T-CC-06-12**
2440mm tall x 305mm wide (6' x 12") args in too: 260 x 400 x 45mm (10" x 14.29" x 327) model wide/1 v 490 m 190 m 10" who to tools the 12.80 g (250 m 27.10 g 160, 7bm) tablo toelike 15.40 g (251 m 27.28 g 160, 7bm) modified tools 18.86 (41.556) (24.89 g 64.7bm)	textile - while paratuser(textile - black modified textile - white (runstacer(textile - custom colour (min.order of ()	SW-T-WH-08-12 SW-T-BK-08-12 SW-MT-WH-08-12 SW-T-CC-08-12**
2440mm tall x 455mm wide (6' x 18') args in too: 2640.415 x 6/mm (10' x 50.29 x 370') model: weight / 960mg weight who to testis table: testis table: testis 2.16. gr (77.64) ; 25.86 gr (650b) modified testis 28.39 gl 2.06b) / 35.86 gr (78.86g)	textile - white (manuant) textile - black modified textile - white (manuant) textile - custom colour (min. order of ()	SW-T-WH-08-18 SW-T-BK-08-18 SW-MT-WH-08-18 SW-T-CC-08-18**
3050mm tall x 455mm wide (10' x 18') atps in tox. 3175 455 451mm (12' x 302' x 377) model wide (1 viget y atps wide)" who to table 25.8 g 62.5 kg / 358 g (758) tobs table 35.8 g 67.6 kg / 358 g (758) modified table 35.8 g (77.4 kg / 44.8 g (80.0 kg)	textile - white (mansucent) textile - black modified textile - white (mansucent) textile - custom colour (min. ender of 4)	SW-T-WH-10-18 SW-T-BK-10-18 SW-MT-WH-10-18 SW-T-CC-10-18**
All modular softwall + softblock elements are flexible in length, opening to a maximum of 4.5 meters (15) long. When softwall + softblock are compressed for storage they are less than 50mm (2*) thick.		
textile softwall + softblock available in any Pantone colour lead time: 12 - 14 weeks (excedited service available)	textile - any Pantone colour	
minimum order: varies, see above and next page for each size price: varies with colour and size, please request a quote		
any softwall - softblock element can be cut shorts to a cutom height (have as one contacts due to maynes positione) in erd panels, please travel		
	Important (100)	13:30mm tail x 305mm wide (6' x 12') the max rate of the state of the state x 30 x 30 x 30 x 40 x 43 x 30 x 30 x 40 x 4



softwall + softbloc	k modular system			
product		dimensions	material + colour	product code
softblocks 305mm(12") wide	Ĩ	305mm tall x 305mm velds (11 x 12') atta i trove dis 3155 rithm (11 x 12') than padd weld r 414pra weld than padd weld r 414pra weld than padd y 12 kg 61 kg 11 kg tallet than padd y 12 kg 61 kg 11 kg tallet than padd y 12 kg 61 kg 11 kg tallet than padd y 12 kg 61 kg 11 kg tallet than padd y 12 kg 61 kg 11 kg tallet than tallet tha	kraft paper - natural brown kraft paper - black kraft paper - indigo blue toxtile - vhate insutacent toxtile - black modified textile - white president textile - custom colour (mi. occer of in)	SB-P-BR-01-12 SB-P-BK-01-12 SB-P-BU-01-12 SB-T-WH-01-12 SB-T-BK-01-12 SB-MT-WH-01-12 SB-MT-WH-01-12 SB-T-CC-01-12**
	J	610mm tail x 305mm wide (z' x 12') atras hou 17 o x 30 o 17mm (dia (z' x 13') mpo bot 170 x 30 o 17mm (dia (dia (dia tao) paper 5-40 (1138/d / 7m) (1184) tao, paper 5-60 (1286/17.60 (1784) tao, paper 5-60 (1286/17.60 (1784) tao, baser 3-60 (1286/17.60 (1784) tao, baser 3-30 (1286/17.60 (1784) tao, baser 3-30 (1286/17.60 (1284) tao, baser 3-30 (1284/17.60 (1284) tao, baser 3-30 (1284/17.60 (1284)) tao, baser 3-30 (1284/17.60 (1284)) tao, baser 3-30 (1284/17.60 (1284)) tao, baser 3-30 (1284)) tao, baser	kraft paper - natural brown kraft paper - indigo blue textile - white prantom textile - black modified textile - white prantoent modified textile - white prantoent textile - custom colour (mr. coar of 30)	SB-P-BR-02-12 SB-P-BK-02-12 SB-P-BU-02-12 SB-T-WH-02-12 SB-T-BK-02-12 SB-MT-WH-02-12 SB-MT-WH-02-12 SB-MT-WH-02-12 SB-T-CC-02-12**
		915mm tall × 205mm widel; 6(1 × 127) poster stration: 01% - 135(2000) poster training 11/10/1000 poster training 11/1000 poster training 11/10000 poster training 11/1000 poster training 11/10000 poster	kraft paper - natural brown kraft paper - black kraft paper - indigo blue textile - while newscore textile - black - while newscore modified textile - while newscore textile - custom colour (nm. over of 20)	SB-P-BR-03-12 SB-P-BK-03-12 SB-P-BU-03-12 SB-T-WH-03-12 SB-TE-K-03-12 SB-MT-WH-03-12 SB-MT-WH-03-12 SB-T-CC-03-12**
softblocks 455mm(18") wide	Ĩ	305mm tall x 455mm wide (11 x 181) alge thou 403 x 48x Time (10 x 19 x 1) productive (11 kpc) way(11 kpc) thom page 40,0 BB/d (12 kpc) (12 kpc) that page 44,0 p Tar(12 kpc) (12 kpc) that page 44,0 p Tar(12 kpc) (12 kpc) that back 28g (12 kpc) (12 kpc) (12 kpc) (12 kpc) that back 28g (12 kpc) (12 kp	kraft paper - natural brown kraft paper - black textile - while evaluating textile - black modified textile - while evaluating textile - custom colour (m. case of e) kraft paper - indigo blue	SB-P-BR-01-18 SB-P-BK-01-18 SB-TWH-01-18 SB-TBK-01-18 SB-TBK-01-18 SB-TC-C0-118" SB-P-BU-01-18"
ſ	Ĩ	610mm tall x 455mm wide (2' x 18') shar shou Tio 48's Time (2' x 18' x 3') toos too tio 48's Time (2' x 19' x 3') toos poor Big (1' 880 / 1' 10') (2' Rag tios poor Big (1' 880 / 1' 10') (2' Rag tios poor Big (1' 880 / 1' 10') (2' Rag tios poor Big (1' 880 / 1' 10') (2' Rag tios poor Big (1' Rag / 1' 10') (2' Rag tios poor Big (1' Rag / 1' Rag tios poor Big (1' Rag) (1' Rag) (1' Rag tios poor Big (1' Rag) (1' Rag) (1' Rag) (1' Rag tios poor Big (1' Rag) (1	kraft paper - hatural brown kraft paper - black textile - white parament textile - black modified textile - white parament textile - users concern textile - users concern kraft paper - indigo blue	SB-P-BR-02-18 SB-P-BK-02-18 SB-T-BK-02-18 SB-T-BK-02-18 SB-MT-WH-02-18 SB-T-CC-02-18 SB-P-BU-02-18"
	<i>F</i>	915mm tall x 455mm wide (3' x 18') state into 10's 5's 45mm (4' x 323' x 4.3's) pockdow (1''s 15' x 40'm) (x 4.2's) pockdow (1''s 15' x 40'm) (1''s 15' x 40'm) bios page 1'' x 40'm (3'' x 15'' x 40''m) bios page 1'' x 40'm (3'' x 15''m) bios page 1'' x 40''m (3''m) bios page 1'' x 40''m) bios page 1'' x 40''m)	kraft paper - tratural brown kraft paper - black textile - whick summer heavy-wight kutofe - white summer modified textile - white summer textile - cutoff - white summer textile - cutoff - colour me - one or to kraft paper - indigo blue	SB-P-BR-03-18 SB-P-RK-03-18 SB-T-WH-03-18 SB-T-RK-03-18 SB-T-WH-03-18 SB-T-WH-03-18 SB-T-CC-03-18+W SB-T-CC-03-18*

product				dimensions	colour of LED	product code
1 LED ribbon kit		୪	р. Г	T Booble LED ribbon 4.5 meter (15') long 4.5 meter electrical extension 100° - 24/0 350 kig-in transformer + hilling dimmer Noran EE plag types included eregrammer.c.hig.it.ext 2700 Limens per 4.5meter (15') LED ribbon" 30% power draw from 1.ED ribbon" - recommended for 1.8m (6') tail white softwall	daylight white 4200K NA + EU play type included warm white 2500K NA + EU play type included	SA-LED-RIB-15-DW-1 SA-LED-RIB-15-WW-1
? LED ribbon kit	(O)• • x2	7	¢ ₽	2 x 4.5 meter (15) flexible LED ribbons 2 way coupler 4.5 meter (15) electrical extension 100 - 240V 60W plug-in transformer NA and EU plug types included areany ways: 1.0g 3.2% for white textile softwall + softbiock generative and the softbiol ock texter in the soft of the softbiock texter in the soft of the softbioch 5400 Limens / two 4.5meter (15) LED ribbons**	daylight white 4200K Nik - El pike included warm white 2500K Nik + El pike included	SA-LED-RIB-15-DW-2 SA-LED-RIB-15-WW-2
i LED ribbon kit	, (O)•	P	6 g	66W power draw from 2 LED ribbons** - recommended for 2.45m (8) tail white softwall 3 x 4.5meter (15) flexible LED ribbons 3 way couples double-couples double-couple-couples double-couple-couples double-couple-couple-couple-couples double-coup	daylight white 4200K N4. Is II ag tyse radiat warm white 2500K N4. E3 plag tyse included	SA-LED-RIB-15-DW-3 SA-LED-RIB-15-WW-3
.5meter (15') electrical xtension		Ó		8100 lunners /three 4.5mter (15) LED ribbons" 99W power draw from 3 LED ribbons" •recommanded for 3m (10) tall white softwall to extend the length of electrical cable for softwall + softwalls (LED ribbon (silver coasial cable) •ha and significant light low when signification electrons, tables the accemend amarum numer electranism to each as LID ribbo is a lack table.		SA-EEXT-15
				- up to time 4.5m (15) extensions for 2 LED /bbon kt - up to two 4.5m (15) extensions to 12.D /bbon kt - up to one 4.5m (15) extensions for 4.1ED /bbon kt - LED /bbon kts tor softwall + softbiok come with 4.5m (15) of electrical cable. This extension is only required for additional largth		



softwall + softblock accessories					
product		dimensions	material + colour	product code	
peg + strip (for 305mm /12* wide kraft paper softblock)	\sim	150 x 40mm (6" x 1.5") cork pegs (set of 2) + steel strip 300 x 70mm (11.75" x 2.8")	white powder coated steel strip	SA-2PEG-1STRP	
peg + disc (for all other softblocks)	Å	or steel disc 165mm (6.5") diameter	natural cork pegs with magnets white powder coated steel disc	SA-2PEG-1DISC	
steel discs use as tray / display surface on softblocks		small 165mm (6.5") diameter 0.2kg (0.4bs)*	white powder coated steel	SA-DISC-ST-WH-SM	
unaue on solutiouss	$\bigcirc \bigcirc \bigcirc \bigcirc$	medium 300mm (11.75*) diameter 0.7kg (1.5ks)*	white powder coated steel	SA-DISC-ST-WH-MD	
	0	large 350mm (13.75") diameter 0.8kg (1.8kg)*	white powder coated steel	SA-DISC-ST-WH-LG	
steel base becure softwall or softblock partition to a fixed location		300mm (11.75 [°]) diameter 130mm (3 [°]) height 38mm (1.5 [°]) hole diameter steps in box 330 x 100mm (15 [°] x 15 [°] x 4 [°]) 2.8% (5 Tool [°] tate base designed to fit standard wood dowel 38mm (1.5 [°]) wood dowel not included	white powder coated steel	SA-BASE-ST-WH	
steel anchor strips (est of 2)		small 300 x 70mm (11.75" x 2.8") 0.4kg (0.9lbs)*	white powder coated steel	SA-STRP-ST-WH-SM	
		medium - for 6' softwall 1800 x 70mm (71" x 2.8") 2.8kg (8bs)*	white powder coated steel	SA-STRP-ST-WH-MD	
		large - for 8' softwall 2415mm x 70mm (95" x 2.8") 3.6kg (8bs)*	white powder coated steel	SA-STRP-ST-WH-LG	
sheets for tubes		510mm (20*) wide	clear mylar/acetate	SA-SHT-MYL-CL-1	
	0	950mm (37*) wide	natural brown kraft paper	SA-SHT-P-BR-1	
		sheets can be cut to custom lengths for your project			
		maximum length for a single softwall or softblock is 4270mm (14') sheet to create a 4.5 meter (15') long softwall or softblock			
		use multiple sheets span wide openings, please ask for advise			
Clipping system (set of 10)	b	small magnets 13 x 6mm (0.5" x 0.25") 0.1kg (0.2lbs)*	white steel clips nickel plated magnets	SA-CLIP-SM	
		large magnets 3 x 25mm (0.12" x 1") 0.1kg (0.2ks)"		SA-CLIP-LG	
glass vase nsert into cells of softblock or flowers, pens, catering		180 x 40mm (7" x 1.5") 0.4kg (10s)"	clear borosilicate glass	SA-VASE-GLS-CL	
felt handles 1 set per end of softwall)		216 x 305mm (8.5" x 12") 0.2% (0.4%)	natural grey wool felt for 12" wide softwall for 18" wide softwall	SA-HNDL-FLT-GR-12-1SET SA-HNDL-FLT-GR-18-1SET	
			black wool felt for 12" wide softwall for 18" wide softwall	SA-HNDL-FLT-BK-12-1SET SA-HNDL-FLT-BK-18-1SET	

