PC

DESIGN BY PIERRE CHARPIN



Pierre Charpin's PC Task Lights series is a collection of refined and precisely engineered task lamps designed to provide focused light where needed. The lamps are constructed in aluminium, with a subtle sheen finish. The functional design conceals gas springs that enable the arms and head to hold their position wherever they are moved, and it features an integrated-touch dimmer switch with a memory function that controls brightness levels and automatically turns off after five hours. The PC Task Lights are available in a variety of size and colour options and are suitable for both contract and domestic markets.

PRODUCT DETAILS

- / Part of a progressive and technologically advanced lighting collection.
- / A family of multifunctional task lamps that can be used free standing, desk, clamp and wall mounted.
- / CE approved.
- / Integrated LED module included with an estimated life span of 25.000 hours of use.
- / Integrated touch dimmer switch.
- / Concealed gas springs.
- $\slash\hspace{-0.4em}$ The lamp is suitable for both private and office environments.
- / Qualified for contract use.



MATERIAL

LAMP BODY / Extruded aluminium arms with die cast aluminium joints.

LAMP SHADE / Spun aluminum.

Soft black and Leaf green in plastic.

LAMP BASE / Injection moulded ABS cover with internal sand cast iron counter weight. Powder coated steel base with foam pad protector underneath.

Cord / Silicone cable.

COLOUR


Please note that the colour codes are indicative.

Available in 3 different colours.

- / Soft black (RAL 9004)
- / Ash grey (RAL 7035)
- / Leaf green (Pantone 350C)

Note that fixings, gaskets, soft TPE components and the cable are black for all colour options.

COLOUR COMBINATIONS



COLOUR



DIMENSIONS

DOUBLE ARM WITH TABLE BASE

- / WIDTH 14 cm / 5.5"
- / DEPTH 55 cm / 21.7"
- / HEIGHT 42 cm / 16.5"

DOUBLE ARM WITH CLAMP

- / WIDTH 14 cm / 5.5"
- / DEPTH 55 cm / 21.7"
- / HEIGHT 60,5 cm / 23.8"

DOUBLE ARM WITH WALL BRACKET

- / WIDTH 14 cm / 5.5"
- / DEPTH 55 cm / 21.7"
- / HEIGHT 45 cm / 17.7"

DOUBLE ARM WITH TABLE INSERT

- / WIDTH 14 cm / 5.5"
- / DEPTH 55 cm / 21.7"
- / HEIGHT 42,5 cm / 16.7"


SINGLE ARM WITH WALL BRACKET


- / WIDTH 14 cm / 5.5"
- / DEPTH 9 cm / 3.5"
- / HEIGHT 61 cm / 24"

SINGLE ARM WITH CLAMP

- / WIDTH 14 cm / 5.5"
- / DEPTH 9 cm / 3.5"
- / HEIGHT 62,7 cm / 24.7"

CONFIGURATIONS





TECHNICAL SPECIFICATIONS

/ LIGHT SOURCE / LED integrated

/ POWER* / 5,7W

/ FLUX* (lumens) / 363lm

/ CCT* (kelvin) / 3000k

/ CRI* (1-100) / 85

/ DIMMABLE / Yes

/ POWER SUPPLY / 220-240V AC at 50-60Hz

UK/EU plug mounted adapter

/ CORD LENGTH / 200 cm

/ SWITCH / Touch dimmer intergrated

*Measurements taken from production luminaire

CERTIFICATIONS

CE approved: This product has been assessed and complies with the essential requirements of the relevant European directives.













Tested according to the following European EN / IEC standards which relate specifically to electrical lighting products including:

/ EN 55015:2013 (radio disturbance)

/ EN 61547:2009 (EMC immunity)

/ EN 61000-3-2:2014 (EMC compatibility)


/ EN 61000-3-3:2013 (EMC compatibility)

/ EN 60598-2-4:1997 (portable luminaires)

/ EN 60598-1:2015 (general requirements)

/ EN 62493:2010 (human exposure to EMC)

PHOTOMETRICS



DOWNLOADS

2D files, 3D files and packshots are available in our imagebank at hay.com.

Care and maintenance instructions and CE attestation of conformity certificates are available at hay.com

An overview of the complete Hay lighting collection and accessories, can be found at hay.dk/en/contract/products/ lighting